

# Deep Diamond Re-ID

Diamonds, not only a girl's best friend

Floris De Feyter, **Dries Hulens**, Bram Claes, Toon Goedemé


**KU LEUVEN**



ID: {-12,24,54,1,-87,45,43,67,-56,-36,81,42,56,..., 43}

# Problem statement

diamond-switching by customers or employees, and offered advice to discourage the practice. "Switches of diamonds for fake or lesser goods are done by both highly skilled thieves posing as customers and by dishonest employees," the group warned.



## Trade 'Blind to Diamond-Swapping Threat'

Aug 15, 2018 10:51 AM By Joshua Freedman

Comment Email Print Facebook Twitter Share



## Jewelers Security Alliance: 'Beware of Switches'

Dec 9, 2008 2:50 PM By Jeff Miller

Comment Email Print Facebook Twitter Share

**RAPAPORT...** Jewelers Security Alliance (JSA) reminded its retail base to watch out for diamond-switching by customers or employees, and offered advice to discourage the practice. "Switches of diamonds for fake or lesser goods are done by both highly skilled thieves posing as customers and by dishonest employees," the group warned.

Switch artists have developed an "art of disarming an unsuspecting target." They use charm and behaviors designed to impress in order to take advantage of an unguarded moment in the store. The switch is often discovered long after it happens, making it much more difficult to investigate the crime.

**RAPAPORT...** Diamond switches are instead waiting until they have warned.

The switching of natural diamonds is a phenomenon to which many jewelers are based. Yehuda Diamond, a jeweler which detects laboratory (CVD) and the High Pressure

When an Israeli trader reported a Sherlock Holmes scam which involved 3- to 5-carat diamonds, their bourse membership was suspended on August 5.

Several switches of diamonds for cubic zirconia (CZ) have occurred recently in retail stores, according to the JSA. These include a diamond solitaire ring that was switched in a New York store, diamond earrings and a ring in a Boston boutique and two diamonds at a mall store in Elyria, Ohio.


JSA presented tips to prevent switches: Show only one item at a time, never turn your back on a customer, and wait on only one customer at a time. Be sure to reexamine the jewelry right after a customer has handed it back to the staff. "It could be a CZ, moissanite or an inferior stone. You must either loupe it, or use diamond and moissanite testing equipment," the organization advised.

Additionally, stores should have selling-surface cameras, and staff should be reminded to be aware in case of a distraction, as when a customer drops a diamond, or faints, or does anything else to divert attention.

JSA offers crime prevention weekly e-mails and alerts.


# How does the jewelry store controls the returned diamonds?

- Not !
- If they suspect that diamonds are switched:  
-> ASET (Angular Spectrum Evaluation Tool)



# Our solution

## Diamond re-identification




# Challenges

A



Different

B



Equal

# Workflow


## 1: Take picture with ASET

Setup

uniform light source




Diamond





plexiglass

ASET

camera




X-Y table 3D printer



# Workflow

1: Take picture with ASET




Size: 1-3mm

# Workflow

## 2: Generate ID (embedding)

- Start from Darknet19 classification network trained on ImageNet






# Workflow

## 2: Calculate ID with re-identification algorithm


- Transfer learn network with training set of 100 diamonds



# Workflow

## 2: Calculate ID with re-identification algorithm

- Drop classification layer




# Workflow


## 3. Compare embeddings

Make the embedding more robust by combining multiple embeddings of 1 diamond

multiple images



rotated images




# Workflow

## 3. Compare embeddings

- Nearest average (euclidean distance)
- SVM
- K-NN (different values for K)




$\{-12, 36, 15, 54, 98, -6, -23, 36, \dots, 154\}$



$\{-13, 34, 16, 53, 96, -6, -23, 34, \dots, 150\}$

# Results

768 pictures of 64 never seen diamonds



100% mAP K-NN (k=5) 8 reference pictures

98,4% mAP Euclidean distance 1 reference picture



# Results

Network configurations (nearest average as compare technique)



<b>Network</b>	<b>Input res.</b>	<b>Vector dim.</b>	<b>Accuracy</b>
Darknet V2	600 x 600	1024	98.4%
	256 x 256	1024	96.9%
Darknet V3	600 x 600	1024	97.8%
		1024	97.5%
		128	95.6%
Resnet	600 x 600	256	97.0%

# Summarize

In the past



Now



100% mAP K-NN (k=5) 8 reference pictures

# Questions ?